



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Central Valley Regional Water Quality Control Board

29 April 2014

*Immut ✓
PDE*

Drew Lehman
Director, Environment & Planning
Recology
50 California Street, 24th Floor
San Francisco, CA 94111-9796

APPROVAL OF SOUTHERN AREA WORK PLAN, CLEANUP AND ABATEMENT ORDER R5-2013-0704, RECOLOGY YUBA SUTTER, YUBA COUNTY

Central Valley Water Board staff has reviewed the *Southern Area Work Plan* (Plan) submitted by Recology Yuba Sutter in accordance with Cleanup and Abatement Order (CAO) R5-2013-0704, Order #6. The purpose of the work plan is to provide a defined schedule of operations and maintenance to protect the cover of the Southern Area of LF-1. The Southern Area of LF-1 covers approximately 25 acres of the 42 acre LF-1 and incorporates multiple operations which include: the materials recovery facility (MRF), vehicle maintenance, metals or white goods storage, and administration buildings.

The work plan has provided the required schedules of repairs and inspection of these surfaces. As discussed in the work plan, the Southern Area of the LF-1 will be inspected at the frequency shown in the table below.

Area of Inspection	Proposed Frequency
Paved Areas	Quarterly
Unpaved Areas	Quarterly
Subsurface Pipeline Video Survey	Annually
Catch Basins	Monthly between October 15 th and April 15 th

Although the inspection schedule provides an outline of the minimum frequency the Discharger will inspect the southern area, inspection frequency during the wet season shall be increased as stated in Section 4.1 of the work plan. The objective of more frequent inspections is to ensure unpaved areas, paved areas, and drainage features have positive slope and drain freely, allowing storm water to flow to collection points and then to discharge locations. Repairs to the areas described in the table above have specific inspection forms the Discharger has provided in the work plan. These forms appear adequate, but should be considered a living document and changed when required to fit the circumstances.

The Southern Area Work Plan is an acceptable document that complies with Order #6 of the CAO. Please implement the long-term Operation and Maintenance Plan immediately.